## Message

From: David Adams [dadams@ci.eureka.ca.gov]

**Sent**: 8/28/2018 8:02:31 PM

**To**: Sirese Jacobson [sirese.jacobson@pgenv.com]

CC: Polek, Jim [Polek.Jim@epa.gov]

Subject: RE: Pacific Choice Seafood Eureka Inspections
Attachments: Pacific Choice Seafood Floor Drain Location Map.pdf

Hi Sirese,

I have attached a simple floor drain location map that was submitted with the most recent application. I have not found any process flow diagram in the records for this facility and this will be something I pursue in the future. Please reach out to the facility for this information at this time.

Thank you, David

From: Sirese Jacobson <Sirese.Jacobson@pgenv.com>

**Sent:** Tuesday, August 28, 2018 11:19 AM **To:** David Adams <a href="mailto:dadams@ci.eureka.ca.gov">dadams@ci.eureka.ca.gov</a>

Cc: Jim Polek <Polek.Jim@epa.gov>

Subject: RE: Pacific Choice Seafood Eureka Inspections

Hi David,

Do you have a process flow diagram for Pacific Choice Seafood? Section E of the permit application asks for the facility to submit a flow diagram, but I didn't see one. I can also reach out to the facility if you don't have it.

Thanks! Sirese

From: David Adams < dadams@ci.eureka.ca.gov > Sent: Wednesday, August 22, 2018 11:50 AM
To: Sirese Jacobson < Sirese Jacobson @pgenv.com >

Cc: Jim Polek < Polek. Jim@epa.gov>

Subject: Pacific Choice Seafood Eureka Inspections

Sirese,

Let me know if you are looking for anything else. I will work on sending the requested documents for Lost Coast Brewery and you should receive them today.

David Adams Source Control Inspector II City of Eureka (707) 441-4362

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the sender. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this

